

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUN 19 2006

Returned to applicant for correction JUL 13 2006

Corrected application filed _____

Map filed AUG 28 2006

The applicant **Nevada Power Company** hereby makes application for permission to change the
Point of diversion Place of use of water heretofore appropriated under **60022**

1. The source of water is **An underground source**
2. The amount of water to be changed **0.15 cfs**
3. The water to be used for **Industrial Purposes**
4. The water heretofore permitted for **Industrial Purposes**
5. The water is to be diverted at the following point **At a point located within Tract 38, T. 17S, R.64E. MDM or at a point from which the Southwest corner of Section 21, T17S, 64E, MDM bears S. 08° 50' 03" W. a distance of 2120.27 feet.**
6. The existing permitted point of diversion is located within **At a point located within Tract 38, T 17S, R 64E. MDM or at a point from which the Southwest corner of Section 21, T.17S., R 64E. MDB&M Bears South 3 degrees, 05 minutes 10 seconds W a distance of 2013 feet.**
7. Proposed place of use **#1 Harry Allen-Portions of Section 12,13,35, All of Section 24, 25, and 36, Township 17 South, Range 63 East, Mount Diablo Meridian, Clark County, Nevada; Portions of Section 7, All of Sections 18. 19,30 and 31, Township 17 South, Range 64 East, Mount Diablo Meridian, Clark County Nevada; Portions of Section 1 & 2, Township 18 South, Range 63East, Mount Diablo Meridian, Clark County Nevada. #2 Chuck Lenzie-A portion of the East Half (E½) of Section 15, Township 18 South, Range 63 East, Mount Diablo Meridian, Clark County, Nevada.**
8. Existing place of use **SE ¼ SW ¼ Section 25, SE ¼ NE ¼, NE ¼ SE ¼ Section 35, NW ¼, NW ¼ NE ¼ and NW ¼ SW ¼ Section 36 all located within T 17S. R. 63E M.D.B.&M.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Water will be diverted from the existing well RW-1 thru the existing 12" Pipeline to Harry Allen. A new 12" pipeline will be built to convey the water from the Harry Allen Site to The Chuck Lenzie site.**
12. Estimated cost of works **\$1,088,139.00**
13. Estimated time required to construct works **The construction of the pipeline should be completed by the end of 2006.**
14. Estimated time required to complete the application of water to beneficial use **Two years**

15. Remarks:

By **Richard A. Willer E. I.**
s/ Richard A Willer EI
PO Box 98910
Las Vegas, Nevada 89151

Compared sc/mt ll/ gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 60022 is issued subject to the terms and conditions imposed in said Permit 60022 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(Continued on Page 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.15 cubic feet per second, but not to exceed 74.57 acre-feet annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

February 26, 2008

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

February 26, 2010

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 26th day of February, A.D. 2007



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A _____

Certificate No. _____ Issued _____